Contents

Able KP, Cherry JD: Mechanisms of dusk orientation in white-throated sparrows (*Zonotrichia albicollis*): Clock-shift experiments 107
Ammermüller J, Zettler F: Time- and voltage-dependent currents in locust ocellar L-neurones 363
Ando F, see Tazaki K, et al. 521
Arbas EA: Control of hindlimb posture by wind-sensitive hairs and antennae during locust flight 849
Arkett SA, Spencer AN: Neuronal mechanisms of a hydromedusan shadow reflex. I. Identified reflex components and sequence of events 201
Arkett SA, Spencer AN: Neuronal mechanisms of a hydromedusan shadow reflex. II. Graded response of reflex components, possible mechanisms of photic integration, and functional significance 215
Bagnoli P, see Foà A, et al. 465
Bailey WJ, see Römer H 627
Ball EE, see Boyan GS 773
Bass AH, Segil N, Kelley DB: Androgen binding in the brain and electric organ of a mormyrid fish 535
Bastian J, see Grau HJ 191
Bennett MF: Stress and changes in the blood of newts *Notophthalmus viridescens*, during early regeneration 823
Bercken J van den, see Ruigt Gé SF, et al. 43
Betz M, see Rübsamen R 675
Bowmaker JK, see Downing JEG, et al. 859
Boyan GS, Ball EE: Wind-sensitive interneurones in the terminal ganglion of praying mantids 773
Brodfuehrer PD, Friesen WO: Initiation of swimming activity by trigger neurons in the leech subesophageal ganglion. I. Output connections of Tr1 and Tr2 489
Brodfuehrer PD, Friesen WO: Inititation of swimming activity by trigger neurons in the leech subesophageal ganglion. II. Role of segmental swim-initiating interneurons 503
Brodfuehrer PD, Friesen WO: Initiation of swimming activity by trigger neurons in the leech subesophageal ganglion. III. Sensory inputs to Tr1 and Tr2 511
Brückner D, see Getz WM, et al. 251
Chen D-M, Goldsmith TH: Four spectral classes of cone in the retinas of birds 473
Cheng K, Collett TS, Wehner R: Honeybees learn the colours of landmarks 69
Cherry JD, see Able KP 107
Childress J, see McFall-Ngai M, et al. 791
Collett TS, see Cheng K, et al. 69
Coombe PE: The large monopolar cells L1 and L2 are responsible for ERG transients in *Drosophila* 655
Coro F, see Pérez M 115
Crawford JD, Hagedorn M, Hopkins CP: Acoustic communication in an electric fish, *Pollimyrus isidori* (Mormyridae) 297
Crescitelli F, see McFall-Ngai M, et al. 791
Datum K-H, Weiler R, Zettler F: Immunocytochemical demonstration of γ-amino butyric acid and glutamic acid decarboxylase in R7 photoreceptors and C2 centrifugal fibres in the blowfly visual system 241
DeCoursey PJ: Light-sampling behavior in photoentrainment of a rodent circadian rhythm 161
Delaney K, Gelperin A: Post-ingestive food-aversion learning to amino acid deficient diets by the terrestrial slug *Limax maximus* 281
Delius JD, see Schall U 33
Demaine C, see Semm P 619
Dement WC, see Welsh DK, et al. 577
Djamgoz MBA, see Downing JEG, et al. 859
Douglas RH: Photopic spectral sensitivity of a teleost fish, the roach (*Rutilus rutilus*), with special reference to its ultraviolet sensitivity 415
Downing JEG, Djamgoz MBA, Bowmaker JK: Photoreceptors of a cyprinid fish, the roach: morphological and spectral characteristics 859
Dudel J, see Franke Ch, et al. 579
Dudel J, see Franke Ch, et al. 591
Elliott EJ: Chemosensory stimuli in feeding behavior of the leech *Hirudo medicinalis* 391
Emde G von der, Schnitzler H-U: Fluttering target detection in Hipposiderid bats 765
Engel EMRA, see Welsh DK, et al. 577
Erickson MT, see Walters ET 339
Ewer J, see Hooper SL, et al. 227
Ewert J-P, see Matsumoto N, et al. 721
Finger W, Martin C: Spontaneous excitatory postsynaptic currents in crayfish neuromuscular junctions in the absence and presence of serotonin and 3,4-diaminopyridine 13
Fleishman LJ: Motion detection in the presence and absence of background motion in an *Anolis* lizard 711
Fletcher DJC, see Vargo EL 741
Foà A, Bagnoli P, Giongo F: Homing pigeons subjected to section of the anterior commissure can build up two olfactory maps in the deflector lofts 465
Franke Ch, Hatt H, Dudel J: The excitatory glutamate-activated channel recorded in cell-attached and excised patches from the membranes of tail, leg and stomach muscles of crayfish 579
Franke Ch, Hatt H, Dudel J: The inhibitory chloride channel activated by glutamate as well as γ-amino-butyric acid (GABA). Single channel recordings from crayfish muscle 591
Franke H-D: Resetting a circalunar reproduction rhythm with artificial moonlight signals: Phase-response curve and moon-off effect 569
French AS: Strength-duration properties of a rapidly adapting insect sensory neuron 757
Friesen WO, see Brodfuehrer PD 489
Friesen WO, see Brodfuehrer PD 503
Friesen WO, see Brodfuehrer PD 511
Frixione E, Porter RM: Volume and surface changes of smooth endoplasmic reticulum in crayfish retinula cells upon light- and dark-adaptation 667
Gelperin A, see Delaney K 281
Getz WM, Brückner D, Smith KB: Conditioning honeybees to discriminate between heritable odors from full and half sisters 251
Giongo F, see Foà A, et al. 465
Gogala M, see Surlykke A 267
Goldsmith TH: Interpreting trans-retinal recordings of spectral sensitivity 481
Goldsmith TH, see Chen D-M 473
Golowasch J, see Hooper SL, et al. 227
Grau HJ, Bastian J: Neural correlates of novelty detection in pulse-type weakly electric fish 191
Hagedorn M, see Crawford JD, et al. 297
Hallonquist JD, see Mrosovsky N 187
Hamdorf K, Höglund G, Juse A: Ultra-violet and blue induced migration of screening pigment in the retina of the moth *Deilephila elpenor* 353
Harms G, see Maes FW 75
Hassan El-S: On the discrimination of spatial intervals by the blind cave fish (*Anoptichthys jordani*) 701
Hatt H: Responses of a bimodal neuron (chemo- and vibration-sensitive) on the walking legs of the crayfish 611
Hatt H, see Franke Ch, et al. 579
Hatt H, see Franke Ch, et al. 591
Heiligenberg W, Rose G: Gating of sensory information: Joint computations of phase and amplitude data in the midbrain of the electric fish, *Eigenmannia* 311
Heiligenberg W, see Rose G 813
Höglund G, see Hamdorf K, et al. 353
Hooper SL, O'Neil MB, Wagner R, Ewer J, Golowasch J, Marder E: The innervation of the pyloric region of the crab, *Cancer borealis*: Homologous muscles in decapod species are differently innervated 227
Hopkins CP, see Crawford JD, et al. 297
Horn E, Lang H-G, Rayer B: The development of the static vestibulo-ocular reflex in the Southern Clawed Toad, *Xenopus laevis* I. Intact animals 869
Horn E, Mack R, Lang H-G: The development of the static vestibulo-ocular reflex in the Southern Clawed Toad, *Xenopus laevis*, II. Animals with acute vestibular lesions 879
Horn E, see Rayer B 887
Horwitz J, see McFall-Ngai M, et al. 791
Hoy RR, see Nolen TG 423
Hoy RR, see Nolen TG 441

Contents

Able KP, Cherry JD: Mechanisms of dusk orientation in white-throated sparrows (*Zonotrichia albicollis*): Clock-shift experiments 107
Ammermüller J, Zettler F: Time- and voltage-dependent currents in locust ocellar L-neurones 363
Ando F, see Tazaki K, et al. 521
Arbas EA: Control of hindlimb posture by wind-sensitive hairs and antennae during locust flight 849
Arkett SA, Spencer AN: Neuronal mechanisms of a hydromedusan shadow reflex. I. Identified reflex components and sequence of events 201
Arkett SA, Spencer AN: Neuronal mechanisms of a hydromedusan shadow reflex. II. Graded response of reflex components, possible mechanisms of photic integration, and functional significance 215
Bagnoli P, see Foà A, et al. 465
Bailey WJ, see Römer H 627
Ball EE, see Boyan GS 773
Bass AH, Segil N, Kelley DB: Androgen binding in the brain and electric organ of a mormyrid fish 535
Bastian J, see Grau HJ 191
Bennett MF: Stress and changes in the blood of newts *Notophthalmus viridescens*, during early regeneration 823
Bercken J van den, see Ruigt Gé SF, et al. 43
Betz M, see Rübsamen R 675
Bowmaker JK, see Downing JEG, et al. 859
Boyan GS, Ball EE: Wind-sensitive interneurones in the terminal ganglion of praying mantids 773
Brodfuehrer PD, Friesen WO: Initiation of swimming activity by trigger neurons in the leech subesophageal ganglion. I. Output connections of Tr1 and Tr2 489
Brodfuehrer PD, Friesen WO: Inititation of swimming activity by trigger neurons in the leech subesophageal ganglion. II. Role of segmental swim-initiating interneurons 503
Brodfuehrer PD, Friesen WO: Initiation of swimming activity by trigger neurons in the leech subesophageal ganglion. III. Sensory inputs to Tr1 and Tr2 511
Brückner D, see Getz WM, et al. 251
Chen D-M, Goldsmith TH: Four spectral classes of cone in the retinas of birds 473
Cheng K, Collett TS, Wehner R: Honeybees learn the colours of landmarks 69
Cherry JD, see Able KP 107
Childress J, see McFall-Ngai M, et al. 791
Collett TS, see Cheng K, et al. 69
Coombe PE: The large monopolar cells L1 and L2 are responsible for ERG transients in *Drosophila* 655
Coro F, see Pérez M 115
Crawford JD, Hagedorn M, Hopkins CP: Acoustic communication in an electric fish, *Pollimyrus isidori* (Mormyridae) 297
Crescitelli F, see McFall-Ngai M, et al. 791
Datum K-H, Weiler R, Zettler F: Immunocytochemical demonstration of γ-amino butyric acid and glutamic acid decarboxylase in R7 photoreceptors and C2 centrifugal fibres in the blowfly visual system 241
DeCoursey PJ: Light-sampling behavior in photoentrainment of a rodent circadian rhythm 161
Delaney K, Gelperin A: Post-ingestive food-aversion learning to amino acid deficient diets by the terrestrial slug *Limax maximus* 281
Delius JD, see Schall U 33
Demaine C, see Semm P 619
Dement WC, see Welsh DK, et al. 577
Djamgoz MBA, see Downing JEG, et al. 859
Douglas RH: Photopic spectral sensitivity of a teleost fish, the roach (*Rutilus rutilus*), with special reference to its ultraviolet sensitivity 415
Downing JEG, Djamgoz MBA, Bowmaker JK: Photoreceptors of a cyprinid fish, the roach: morphological and spectral characteristics 859
Dudel J, see Franke Ch, et al. 579
Dudel J, see Franke Ch, et al. 591
Elliott EJ: Chemosensory stimuli in feeding behavior of the leech *Hirudo medicinalis* 391
Emde G von der, Schnitzler H-U: Fluttering target detection in Hipposiderid bats 765
Engel EMRA, see Welsh DK, et al. 577
Erickson MT, see Walters ET 339
Ewer J, see Hooper SL, et al. 227
Ewert J-P, see Matsumoto N, et al. 721
Finger W, Martin C: Spontaneous excitatory postsynaptic currents in crayfish neuromuscular junctions in the absence and presence of serotonin and 3,4-diaminopyridine 13
Fleishman LJ: Motion detection in the presence and absence of background motion in an *Anolis* lizard 711
Fletcher DJC, see Vargo EL 741
Foà A, Bagnoli P, Giongo F: Homing pigeons subjected to section of the anterior commissure can build up two olfactory maps in the deflector lofts 465
Franke Ch, Hatt H, Dudel J: The excitatory glutamate-activated channel recorded in cell-attached and excised patches from the membranes of tail, leg and stomach muscles of crayfish 579
Franke Ch, Hatt H, Dudel J: The inhibitory chloride channel activated by glutamate as well as γ-amino-butyric acid (GABA). Single channel recordings from crayfish muscle 591
Franke H-D: Resetting a circalunar reproduction rhythm with artificial moonlight signals: Phase-response curve and moon-off effect 569
French AS: Strength-duration properties of a rapidly adapting insect sensory neuron 757
Friesen WO, see Brodfuehrer PD 489
Friesen WO, see Brodfuehrer PD 503
Friesen WO, see Brodfuehrer PD 511
Frixione E, Porter RM: Volume and surface changes of smooth endoplasmic reticulum in crayfish retinula cells upon light- and dark-adaptation 667
Gelperin A, see Delaney K 281
Getz WM, Brückner D, Smith KB: Conditioning honeybees to discriminate between heritable odors from full and half sisters 251
Giongo F, see Foà A, et al. 465
Gogala M, see Surlykke A 267
Goldsmith TH: Interpreting trans-retinal recordings of spectral sensitivity 481
Goldsmith TH, see Chen D-M 473
Golowasch J, see Hooper SL, et al. 227
Grau HJ, Bastian J: Neural correlates of novelty detection in pulse-type weakly electric fish 191
Hagedorn M, see Crawford JD, et al. 297
Hallonquist JD, see Mrosovsky N 187
Hamdorf K, Höglund G, Juse A: Ultra-violet and blue induced migration of screening pigment in the retina of the moth *Deilephila elpenor* 353
Harms G, see Maes FW 75
Hassan El-S: On the discrimination of spatial intervals by the blind cave fish (*Anoptichthys jordani*) 701
Hatt H: Responses of a bimodal neuron (chemo- and vibration-sensitive) on the walking legs of the crayfish 611
Hatt H, see Franke Ch, et al. 579
Hatt H, see Franke Ch, et al. 591
Heiligenberg W, Rose G: Gating of sensory information: Joint computations of phase and amplitude data in the midbrain of the electric fish, *Eigenmannia* 311
Heiligenberg W, see Rose G 813
Höglund G, see Hamdorf K, et al. 353
Hooper SL, O'Neil MB, Wagner R, Ewer J, Golowasch J, Marder E: The innervation of the pyloric region of the crab, *Cancer borealis*: Homologous muscles in decapod species are differently innervated 227
Hopkins CP, see Crawford JD, et al. 297
Horn E, Lang H-G, Rayer B: The development of the static vestibulo-ocular reflex in the Southern Clawed Toad, *Xenopus laevis* I. Intact animals 869
Horn E, Mack R, Lang H-G: The development of the static vestibulo-ocular reflex in the Southern Clawed Toad, *Xenopus laevis*, II. Animals with acute vestibular lesions 879
Horn E, see Rayer B 887
Horwitz J, see McFall-Ngai M, et al. 791
Hoy RR, see Nolen TG 423
Hoy RR, see Nolen TG 441

Huber F, see Oldfield BP, et al. 457
Juse A, see Hamdorf K, et al. 353
Kelley DB, see Bass AH, et al. 535
Kleindienst HU, see Oldfield BP, et al. 457
Klis JFL, see Ruigt Gé SF, et al. 43
Lang H-G, see Horn E, et al. 869
Lang H-G, see Horn E, et al. 879
Lankinen P: Geographical variation in circadian eclosion rhythm and photoperiodic adult diapause in *Drosophila littoralis* 123
Laurent G: Thoracic intersegmental interneurones in the locust with mechanoreceptive inputs from a leg 171
Link A, Marimuthu G, Neuweiler G: Movement as a specific stimulus for prey catching behaviour in rhinolophid and hipposiderid bats 403
Lynch GR, see Puchalski W 7
Mack R, see Horn E, et al. 879
Maes FW, Harms G: Neural coding of salt taste quality in the blowfly *Calliphora vicina*. I. Temporal coding 75
Maes FW, Ruifrok ACC: Neural coding of salt taste quality in the blowfly *Calliphora vicina*. II. Ensemble coding 89
Marder E, see Hooper SL, et al. 227
Marimuthu G, see Link A, et al. 403
Martin C, see Finger W 13
Martin GR: The eye of a passeriform bird, the European starling (*Sturnus vulgaris*): eye movement amplitude, visual fields and schematic optics 545
Matsumoto N, Schwippert WW, Ewert J-P: Intracellular activity of morphologically identified neurons of the grass frog's optic tectum in response to moving configurational visual stimuli 721
McFall-Ngai M, Crescitelli F, Childress J, Horwitz J: Patterns of pigmentation in the eye lens of the deep-sea hatchetfish, *Argyropelecus affinis* Garman 791
Meissl H, see Nakamura T, et al. 325
Møhl B, see Troest N 559
Miyatani M, see Tazaki K, et al. 521
Morita Y, see Tamotsu S 1
Moss CF, Simmons AM: Frequency selectivity of hearing in the green treefrog, *Hyla cinerea* 257
Mrosovsky N, Hallonquist JD: Colliding of activity onset and offset: evidence for multiple circadian oscillators 187
Nakamura T, Thiele G, Meissl H: Intracellular responses from the photosensitive pineal organ of the teleost, *Phoxinus phoxinus* 325
Nalbach G, see Zeil J, et al. 801
Nalbach H-O, see Zeil J, et al. 801
Neuweiler G, see Link A, et al. 403
Niwa H, see Taniguchi I, et al. 331
Nolen TG, Hoy RR: Phonotaxis in flying crickets. I. Attraction to the calling song and avoidance of bat-like ultrasound are discrete behaviors 423
Nolen TG, Hoy RR: Phonotaxis in flying crickets. II. Physiological mechanisms of two-tone suppression of the high frequency avoidance steering behavior by the calling song 441
Olberg RM: Identified target-selective visual interneurons descending from the dragonfly brain 827
Oldfield BP, Kleindienst HU, Huber F: Physiology and tonotopic organization of auditory receptors in the cricket *Gryllus bimaculatus* DeGeer 457
O'Neil MB, see Hooper SL, et al. 227
Osorio D: Directionally selective cells in the locust medulla 841
Pérez M, Coro F: Physiological characteristics of the tympanic organ in noctuoid moths. III. Post-stimulus phenomena 115
Pollack AJ, see Ritzmann RE 639
Porter RM, see Frixione E 667
Puchalski W, Lynch GR: Evidence for differences in the circadian organization of hamsters exposed to short day photoperiod 7
Rayer B, Horn E: The development of the static vestibulo-ocular reflex in the Southern Clawed Toad, *Xenopus laevis* III. Chronic hemilabyrinthectomized tadpoles 887
Rayer B, see Horn E, et al. 869
Rehnberg BG, Schreck CB: The olfactory L-serine receptor in coho salmon: biochemical specificity and behavioral response 61
Richardson GS, see Welsh DK, et al. 577
Ritzmann RE, Pollack AJ: Identification of thoracic interneurons that mediate giant interneuron-to-motor pathways in the cockroach 639
Römer H, Bailey WJ: Insect hearing in the field. II. Male spacing behaviour and correlated acoustic cues in the bushcricket *Mygalopsis marki* 627
Rose G, Heiligenberg W: Limits of phase and amplitude sensitivity in the torus semicircularis of *Eigenmannia* 813
Rose G, see Heiligenberg W 311
Rübsamen R, Betz M: Control of echolocation pulses by neurons of the nucleus ambiguus in the rufous horseshoe bat, *Rhinolophus rouxi*. I. Single unit recordings in the ventral motor nucleus of the laryngeal nerves in spontaneously vocalizing bats 675
Rübsamen R, Schweizer H: Control of echolocation pulses by neurons of the nucleus ambiguus in the rufous horseshoe bat, *Rhinolophus rouxi*. II. Afferent and efferent connections of the motor nucleus of the laryngeal nerves 689
Ruifrok ACC, see Maes FW 89
Ruigt Gé SF, Klis JFL, Bercken J van den: Pronounced repetitive activity induced by the pyrethroid insecticide, fenfluthrin, in the slowly adapting stretch receptor neuron of the crayfish 43
Saigusa M: The circa-tidal rhythm of larval release in the incubating crab *Sesarma* 21
Schall U, Delius JD: Sensory inputs to the nucleus basalis prosencephali, a feeding-pecking centre in the pigeon 33
Scharstein H, see Wendler G 377
Schnitzler H-U, see Emde G von der 765
Schreck CB, see Rehnberg BG 61
Schweizer H, see Rübsamen R 689
Schwippert WW, see Matsumoto N, et al. 721
Segil N, see Bass AH, et al. 535
Semm P, Demaine C: Neurophysiological properties of magnetic cells in the pigeon's visual system 619
Simmons AM, see Moss CF 257
Simmons PJ: Interactions made by large second-order neurones of the median ocellus of the locust 97
Smith KB, see Getz WM, et al. 251
Spangler HG: Functional and temporal analysis of sound production in *Galleria mellonella* L. (Lepidoptera: Pyralidae) 751
Spencer AN, see Arkett SA 201
Spencer AN, see Arkett SA 215
Suga N, see Taniguchi I, et al. 331
Surlykke A, Gogala M: Stridulation and hearing in the noctuid moth *Thecophora fovea* (Tr.) 267
Tamotsu S, Morita Y: Photoreception in pineal organs of larval and adult lampreys, *Lampetra japonica* 1
Taniguchi I, Niwa H, Wong D, Suga N: Response properties of FM–FM combination-sensitive neurons in the auditory cortex of the mustached bat 331
Tazaki K, Miyatani M, Ando F: The anatomy and physiology of the stomatogastric nervous system of *Squilla*. I. The posterior cardiac plate and the pyloric systems 521
Thiele G, see Nakamura T, et al. 325
Troest N, Møhl B: The detection of phantom targets in noise by serotine bats; negative evidence for the coherent receiver 559
Vargo EL, Fletcher DJC: Evidence of pheromonal queen control over the production of male and female sexuals in the fire ant, *Solenopsis invicta* 741
Vollrath F: Gravity as an orientation guide during web-construction in the orb spider *Araneus diadematus* (Araneae, Araneidae) 275
Wagner R, see Hooper SL, et al. 227
Wallraff HG: Directional components derived from initial-orientation data of inexperienced homing pigeons 143
Walters ET, Erickson MT: Directional control and the functional organization of defensive responses in *Aplysia* 339
Wehner R, see Cheng K, et al. 69
Weiler R, see Datum K-H, et al. 241
Welsh DK, Engel EMRA, Richardson GS, Dement WC: Precision of circadian wake and activity onset timing in the mouse 577
Wendler G, Scharstein H: The orientation of grain weevils (*Sitophilus granarius*): Influence of spontaneous turning tendencies and of gravitational stimuli 377
Weyrauther E: Do retinula cells trigger the screening pigment migration in the eye of the moth *Ephestia kuehniella*? 55
Wong D, see Taniguchi I, et al. 331
Zeil J, Nalbach G, Nalbach H-O: Eyes, eye stalks and the visual world of semi-terrestrial crabs 801
Zettler F, see Ammermüller J 363
Zettler F, see Datum K-H, et al. 241

Indexed in Current Contents